AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-44 (Cancelled)

45. (Currently Amended) A system for receiving electronic program guide (EPG) data from one or more EPG data providers in a plurality of data formats and for providing consolidated EPG data available in a standardized format to one or more applications running on the system, comprising:

an EPG services module for receiving EPG data from a plurality of EPG data providers and providing consolidated EPG data in a standardized format to the one or more applications residing on the system, the EPG services module comprising:

one or more EPG loader modules with a separate EPG loader module for each EPG data source, each EPG loader module being configured to receive EPG data from an EPG data provider in a native format used by the EPG data provider and including computer executable instructions for converting the EPG data received from the EPG data provider from its native format to a standardized format compatible with the EPG services module and the one or more applications;

an EPG writer module logically connected to each of the one or more EPG loader modules with computer executable instructions for

collecting the EPG data in the standardized format from the one or more EPG loader modules;

enforcing a scaling [[of]] the collected EPG data according to factors provided by a user time, wherein EPG data corresponding to more impending broadcasts times is richer than EPG data corresponding to less impending broadcast times; and



writing the scaled EPG data of the standardized format to a storage associated with the system; and

an EPG control module having computer executable instructions for receiving requests for EPG data from the one or more applications; retrieving the EPG data responsive to the request from the storage;

returning the requested EPG data to the one or more applications; and

an application program interface configured to provide a standardized interface between the EPG control module and the one or more applications requiring EPG data,

such that the system can be readily modified to add additional EPG data providers, to remove existing EPG data providers, or to accommodate changes in the native formats of existing or future EPG data providers without having to modify or update the code of any of the one or more applications.

Claim 46. (Cancelled).

and

- 47. (Currently Amended) A system as defined in claim 45, wherein the <u>collected EPG</u> data is further scaled according to channel factors provided by the user comprise at least one of the following factors: time; language; richness; channels, and services.
- 48. (Previously Presented) A system as defined in claim 45, wherein the writer module further comprises computer executable instructions for resolving conflicts between EPG data received from two or more EPG data providers.
- 49. (Previously Presented) A system as defined in claim 45, wherein the one or more loader modules further comprise computer executable instructions for implementing a priority scheme.

- 50. (Previously Presented) A system as defined in claim 45, wherein the EPG writer module further comprises computer executable instructions for limiting the amount of the EPG data that may be placed in the storage.
- 51. (Previously Presented) A system as defined in claim 50, wherein the EPG writer module further comprises computer executable instructions for removing expired EPG data from the storage.

52. (Previously Presented) A system as defined in claim 51, wherein the EPG writer module further comprises computer executable instructions for keeping the last EPG data stored to a particular portion of the storage.

- 53. (Previously Presented) A system as defined in claim 45, wherein the storage is a database.
- 54. (Previously Presented) A system as defined in claim 45, wherein the one or more EPG loader modules further comprises computer executable instructions for recording EPG data with digital recordings of programming represented by the EPG data.
- 55. (Previously Presented) A system as defined in claim 45, wherein each of the EPG loader modules is capable of being added to the device and removed from the device.
- 56. (Currently Amended) In a system having one or more applications, a method for receiving managing electronic program guide (EPG) data received from multiple one or more EPG data providers in a plurality of data formats and for storing consolidated EPG data available in a standardized format in storage comprising the acts of:



receiving EPG data from <u>one or more EPG data providers</u> a plurality of EPG data provides in a plurality of different formats;

reformatting the EPG data into a standardized format compatible with the system; enforcing a scaling [[of]] the reformatted received EPG data according to factors provided by a user time, wherein EPG data corresponding to more impending broadcasts times is richer than EPG data corresponding to less impending broadcast times; and

writing the scaled and reformatted EPG data into a storage associated with the system.

57. (Currently Amended) A method as defined in claim 56, wherein the act of receiving EPG data comprises an act of receiving EPG data from a plurality of EPG data providers in a plurality of different formats, the method further comprising reformatting the received EPG data into a standardized format compatible with the system, wherein the act of receiving EPG data from a plurality of EPG data provides providers in a plurality of different formats comprises the following:

an act of receiving EPG data from a first EPG data provider using a first loader module; and

an act of receiving EPG data from a second EPG data provider using a second loader module.

58. (Previously Presented) A method as defined in Claim 57, further comprising the following:

an act of implementing conflict resolution for the first and second loader modules.

- 59. (Previously Presented) A method as defined in claim 57, wherein the first and second loader modules follow a priority scheme.
- 60. (Currently Amended) A method as defined in claim 56, wherein the act of enforcing a scaling [[of]] the EPG data further comprises an act of <u>further</u> scaling the EPG data



according to channel at least one of the factors of: time; language; richness; channels, and services.

- 61. (Currently Amended) A method as defined in claim 56, further comprising an act of limiting the amount of the scaled and reformatted EPG data that may be placed in the storage.
- 62. (Previously Presented) A method as defined in claim 56, further comprising an act of removing expired EPG data from the storage.
- 63. (Previously Presented) A method as defined in claim 56, further comprising an act of accessing, for the one or more applications, the EPG data in the storage.
- 64. (Currently Amended) A computer program product for use in a system having one or more applications, the computer program product for implementing a method for receiving managing electronic program guide (EPG) data received from multiple one or more EPG data providers in a plurality of data formats and for storing consolidated EPG data available in a standardized format in storage, the computer program product comprising one or more computer-readable media having thereon computer-executable instructions that, when executed by one or more processors of the system, cause the system to perform the following:

detecting receipt of EPG data from one or more EPG data providers a plurality of EPG data provides in a plurality of different formats;

reformatting the EPG data into a standardized format compatible with the system; enforcing a scaling [[of]] the reformatted EPG data according to factors provided by a user time, wherein EPG data corresponding to more impending broadcasts times is richer than EPG data corresponding to less impending broadcast times; and

writing the scaled and reformatted EPG data into a storage associated with the system.

65. (Currently Amended) A computer program product as defined in claim 64, wherein the act of detecting receipt of EPG data comprises an act of detecting receipt of EPG data from a plurality of EPG data providers in a plurality of different formats, the method further comprising reformatting the received EPG data into a standardized format compatible with the system, wherein the computer-executable instructions for performing the act of detecting receipt of EPG data from a plurality of EPG data provides in a plurality of different formats comprise computer-executable instructions for performing the following:

an act of detecting receipt of EPG data from a first EPG data provider using a first loader module; and

an act of detecting receipt of EPG data from a second EPG data provider using a second loader module.

- 66. (Previously Presented) A computer program product as defined in Claim 65, wherein the one or more computer-readable media further have thereon computer-executable instructions that, when executed by the one or more processors, cause the system to implement conflict resolution for the first and second loader modules.
- 67. (Currently Amended) A computer program product as defined in claim 64, wherein computer-executable instructions for enforcing a scaling [[of]] the EPG data further comprise computer-executable instructions for scaling the EPG data according to channel at least one of the factors of: time; language; richness; channels, and services.
- 68. (Currently Amended) A computer program product as defined in claim 64, wherein the one or more computer-readable media further have thereon computer-executable instructions that, when executed by the one or more processors, cause the system to limit the amount of the scaled and reformatted EPG data that may be placed in the storage.
- 69. (Previously Presented) A computer program product as defined in claim 64, wherein the one or more computer-readable media further have thereon computer-executable



instructions that, when executed by the one or more processors, cause the system to remove expired EPG data from the storage.

Carel

70. (Previously Presented) A computer program product as defined in claim 64, wherein the one or more computer-readable media further have thereon computer-executable instructions that, when executed by the one or more processors, cause the system to access the EPG data in the storage for the one or more applications.